Product information

Cera Tec

PI 49/12/02/2021



Description

Micro ceramic solid lubricant suspension based on hexagonal boron nitride (BN) in selected base oils. The laminar graphite-similar structure reduces friction and wear and prevents direct metal-to-metal contact. The < 0.5 μm particle size guarantees optimum filter flow properties and protects against depositing of solid lubricant particles. Miscible with all commercially available motor oils and motor vehicle gear oils.

Properties

- reduces frictional losses
- suitable for diesel particulate filters
- miscible with all commercially available motor oils
- increases smooth operation
- highest thermal stability
- excellent high and low temperature behavior
- tested for turbochargers and catalytic converters
- stable under extreme pressures
- compatible with fine filters
- no deposits
- long engine service life
- chemically inert
- reduces fuel consumption

Technical data

Base BN micro ceramic

Color / appearance beige

Particle size $Majority < 0.5 \mu m$

Temperature stability of the up to 1200 °C

ceramic particles

Density at 20 °C 0,893 g/cm³

DIN 51757

Viscosity at 20 °C ~250 mPas

DIN 51398

Flash point >100 °C

DIN ISO 2592

Pour point -20 °C

DIN ISO 3016

Form liquid

Odor characteristic

Areas of application

For engines, manual transmissions, pumps and compressors. Excellent for car and commercial vehicle engines (gasoline and diesel). Suitable for toothed belts running in oil. Not suitable for use with wet clutches.

Comment

Not suitable for use with wet clutches!



Application

300 ml is sufficient for up to 5 liters of motor oil. Longterm effect up to 50,000 km. Shake well before use!

Available pack sizes

300 ml Bottle 7181

aluminum D-GR-PL-TR-CZ-RO-H-BG

300 ml Bottle 20870
aluminum JP
300 ml Bottle 20988
aluminum D-GB-CN
300 ml Bottle 3721

aluminum D-GB-I-E-P-NL-F-ARAB-RUS

300 ml Bottle 21676 aluminum GB-AUS 300 ml Bottle 21681

aluminum SLO-CZ-SK-SRB-HR

5 l Canister plastic 3723

D-GB-I-E-P-NL-F-ARAB-RUS

Our information is based on thorough research and may be considered reliable, although not legally binding.