

# SAFETY DATA SHEET One Shot Screen Wash

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	One Shot Screen Wash	
Product number	HSCW0003A, PSCW0013A, PSCW0016A, HSCW0007A	
REACH registration notes	This is a MIXTURE; no registration information contained in this document . Holts are classed as Downstream User.	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Glass cleaner.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	Holt Lloyd Services 52 Rue des 40 Mines, 60000 – Allonne, France Phone: +33 (0)3 64 99 00 32 info@holtsauto.com	
Contact person	Contact Email address: info@holtsauto.com	
Manufacturer	Holt Lloyd International Ltd Barton Dock Road Stretford Manchester M32 0YQ - England, UK +44 (0) 161 866 4800 FAX +44 (0) 161 866 4854 www.holtsauto.com	
1.4. Emergency telephone number		

Emergency telephone UK - 00 44 (0) 161 866 4800 Office hrs = 0900 - 1700 hrs

<1%

REACH registration number: 01-

2119488876-14-XXXX

### **One Shot Screen Wash**

National emergency telephone	+32022649636; info@poisoncentre.be (Belgium)
number	+420267082257; biocidy@mzcr.cz (Czech Republic)
	+45 72 54 40 00; mst@mst.dk (Denmark)
	+372 794 3500; clp@terviseamet.ee, info@terviseamet.ee (Estonia)
	+358 5052 000; kirjaamo@tukes.fi (Finland)
	+ 33 3 83 85 21 92; bnpc@chru-nancy.fr (France)
	+49-30-18412-0; bfr@bfr.bund.de (Germany)
	+36 (1) 476 1135; clp.ca@nnk.gov.hu (Hungary)
	+354 543 22 22; eitur@landspitali.is (Iceland)
	+353 (1) 809 2166 / +353 (1) 809 2566; chemicalsinfo@beaumont.ie (Ireland)
	+390649906140; inscweb@iss.it (Italy)
	+31 88 75 585 61; productnotificatie@umcutrecht.nl (The Netherlands)
	+48 42 2538 400; biuro@chemikalia.gov.pl (Poland)
	+351213303271; ciav.tox@inem.pt (Portugal)
	+40213183606; infotox@insp.gov.ro (Romania)
	+421 2 5465 2307; ntic@ntic.sk (Slovakia)
	+ 386 1 522 1293; gp.ukc@kclj.si (Slovenia)
	+34 917689800; intcf.doc@justicia.es (Spain)
	+46104566750; giftinformation@gic.se (Sweden)
	+44 121 507 4123; allistervale@npis.org, sallybradberry@npis.org (UK)

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture	
Classification (EC 1272/2008	8)
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	NC Not Classified
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P501 Dispose of contents/ container in accordance with national regulations.
Detergent labelling	< 5% non-ionic surfactants, < 5% perfumes, Contains (Benzyloxy)methanol, d-limonene, CITRAL, Linalool, Geraniol
2.3 Other hazarda	

2.3. Other hazards

SECTION 3: Composition/information on ingredients

```
3.2. Mixtures
```

#### AMMONIA ...%

M factor (Acute) = 1

= 1

Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 EC number: 215-647-6

Tridecyl alcohol ethoxylate			<1%
CAS number: 9043-30-5	EC number: 259-217-6		
<b>Classification</b> Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412			
Alcohols C9-11, ethoxylated			<1%
CAS number: 68439-46-3	REACH registration number: 01- 2119980051-45-XXXX		
<b>Classification</b> Eye Dam. 1 - H318			
Hexyl-D-glucoside			<1%
CAS number: 54549-24-5	EC number: 259-217-6	REACH registration number: 01- 2119492545-29-XXXX	
<b>Classification</b> Eye Dam. 1 - H318			
Citric Acid Monohydrate			<1%
CAS number: 5949-29-1	EC number: 201-069-1	REACH registration number: 01- 2119457026-42-XXXX	
<b>Classification</b> Eye Irrit. 2 - H319			
(Benzyloxy)methanol			<1%
CAS number: 14548-60-8	EC number: 238-588-8		
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335			
ETHANEDIOL			<1%
CAS number: 107-21-1	EC number: 203-473-3	REACH registration number: 01- 2119456816-28-XXXX	
<b>Classification</b> Acute Tox. 4 - H302 STOT RE 2 - H373			

Denatonium Benzoate			<19
CAS number: 3734-33-6	EC number: 223-095-2	REACH registration number: 01- 2120102843-65-XXXX	
Classification			
Acute Tox. 4 - H302			
Acute Tox. 4 - H332			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			

The full text for all hazard statements is displayed in Section 1

**SECTION 4: First aid measures** 

4.1. Description of first aid me	asures
General information	Treat symptomatically.
Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Remove any contact lenses and open eyelids wide apart.
4.2. Most important symptoms	s and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	This is unlikely to occur but symptoms similar to those of ingestion may develop.
Ingestion	May cause discomfort if swallowed.
Skin contact	May be slightly irritating to skin. Prolonged or repeated exposure may cause severe irritation.
Eye contact	May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising from the substance or mixture	
Specific hazards	Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapours.
Hazardous combustion products	Oxides of carbon. Oxides of nitrogen.
5.3. Advice for firefighters	

4/15

Protective actions during firefighting	No specific firefighting precautions known.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	S	
Environmental precautions	Avoid release to the environment. Do not discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. For waste disposal, see Section 13.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe handling		
Usage precautions	Avoid spilling. Avoid inhalation of vapours and contact with skin and eyes.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Keep away from food, drink and animal feeding stuffs. Store in a cool and well-ventilated place. Keep only in the original container.	
Storage class	Unspecified storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters		
Occupational exposure limits		
ETHANEDIOL		
Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour Sk		
Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate Sk		
WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.		

Alcohols C9-11, ethoxylated (CAS: 68439-46-3)

DNEL	Workers - Inhalation; Long term systemic effects: 294 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day	
PNEC	Fresh water; 0.104 mg/l Intermittent release; 0.014 mg/l marine water; 0.104 mg/l STP; 1.4 mg/l Sediment (Freshwater); 13.7 mg/kg Sediment (Marinewater); 13.7 mg/kg Soil; 1 mg/kg	
	Citric Acid Monohydrate (CAS: 5949-29-1)	
PNEC	Fresh water; 0.44 mg/l marine water; 0.044 mg/l STP; 1000 mg/l Sediment (Freshwater); 34.6 mg/kg sediment dw Sediment (Marinewater); 3.46 mg/kg sediment dw Soil; 33.1 mg/kg soil dw	
	ETHANEDIOL (CAS: 107-21-1)	
Ingredient commo	ents WEL = Workplace Exposure Limits	
DNEL	Workers - Inhalation; Long term local effects: 35 mg/m³ Workers - Dermal; Long term systemic effects: 106 mg/kg/day General population - Inhalation; Long term local effects: 7 mg/m³ General population - Dermal; Long term systemic effects: 53 mg/kg/day	
PNEC	Fresh water; 10 mg/l marine water; 1 mg/l STP; 199.5 mg/l Sediment (Freshwater); 37 mg/kg Sediment (Marinewater); 3.7 mg/kg Soil; 1.53 mg/kg	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	No specific ventilation requirements.	
Eye/face protection	Wear chemical splash goggles.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene measures	Wash hands thoroughly after handling.	

Respiratory protection	Respiratory protection not required.	
SECTION 9: Physical and che	emical properties	
9.1. Information on basic phys	sical and chemical properties	
Appearance	Coloured liquid.	
Colour	Green-yellow.	
Odour	Ammonia.	
рН	pH (concentrated solution): 10 - 11	
Flash point	Not applicable.	
Relative density	0.99 - 1.01 @ 20°C	
Solubility(ies)	Miscible with water.	
9.2. Other information		
Volatile organic compound	This product contains a maximum VOC content of 1 %.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not applicable. Will not polymerise.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat. Avoid freezing.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
<u>Acute toxicity - oral</u> Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation $LC_{50}$ )	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.	

Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	No information available.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Based on available data the classification criteria are not met.	
Specific target organ toxicity -		
STOT - repeated exposure	Based on available data the classification criteria are not met.	
Aspiration hazard Aspiration hazard	Not relevant.	
Inhalation	This is unlikely to occur but symptoms similar to those of ingestion may develop.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	May be slightly irritating to skin. Prolonged or repeated exposure may cause severe irritation.	
Eye contact	May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation.	
Toxicological information on ingredients.		
	Alcohols C9-11, ethoxylated	
Acute toxicity - o	ral	
Notes (oral LD₅₀)	LD₅₀ 3488 mg/kg, Oral, Rat	
Acute toxicity - dermal		
Notes (dermal LI	<b>D₅o)</b> LD₅₀ > 2000 mg/kg, Dermal, Rabbit, Rat	
Acute toxicity - in	halation	
Notes (inhalation	LC50 > 1600 mg/m <sup>3</sup> , Inhalation, Rat	
Skin corrosion/in	itation	

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye Causes serious eye damage. damage/irritation

Respiratory sensitisation	
Respiratory sensitisation	No information available.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Negative.
Genotoxicity - in vivo	No information available.
Carcinogenicity	
Carcinogenicity	Scientifically unjustified.
Reproductive toxicity	
Reproductive toxicity - fertility	Two-generation study - NOAEL 250 mg/kg/day, Dermal, Rat F1, F2 Conclusive data but not sufficient for classification.
Reproductive toxicity - development	Teratogenicity: - NOAEL: 250 mg/kg/day, Dermal, Rat This substance has no evidence of toxicity to reproduction.
Specific target organ toxicit	y - single exposure
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard	
Aspiration hazard	Not relevant.
	Citric Acid Monohydrate
Skin contact	Irritating to skin.
Eye contact	Irritating to eyes.
	(Benzyloxy)methanol
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	1,700.0
Species	Rat
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	1,500.0
Species	Rat
ATE dermal (mg/kg)	1,100.0
Acute toxicity - inhalation	

Acute toxicity inhalation (LC₅₀ dust/mist mg/l)	502.0
Species	Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Causes serious eye damage.
Specific target organ toxici	ty - single exposure
STOT - single exposure	Based on available data the classification criteria are not met.
	ETHANEDIOL
Acute toxicity - oral	
Notes (oral LD₅₀)	Harmful if swallowed.
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ > 3500 mg/kg, Dermal, Mouse
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	LC50 > 2.5 mg/l, Inhalation, Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Not irritating.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Negative.
Genotoxicity - in vivo	Negative.
Carcinogenicity	
Carcinogenicity	No evidence of carcinogenicity in animal studies. Based on available data the classification criteria are not met.
Reproductive toxicity	
Reproductive toxicity - fertility	Three-generation study - NOAEL > 1000 mg/kg bw/day, Oral, Rat F2 Fertility - NOEL 1000 mg/kg bw/day, Oral, Mouse F1
Reproductive toxicity - development	No evidence of reproductive toxicity in animal studies.

Specific target organ toxicity - single exposure		
STOT - single exposure	Based on available data the classification criteria are not met.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Prolonged or repeated exposure may cause the following adverse effects: Liver and/or kidney damage.	
Aspiration hazard		
Aspiration hazard	Not relevant.	
Inhalation	No specific health hazards known.	
Ingestion	Harmful if swallowed.	
Skin contact	May be slightly irritating to skin.	
Eye contact	May be slightly irritating to eyes.	

### SECTION 12: Ecological information

12.1. Toxicity

No information available.
Not available.
edients.
AMMONIA%
ticity
0.1 < L(E)C50 ≤ 1
1
Alcohols C9-11, ethoxylated
ticity
LC₅₀, 96 hours: 5 - 7 mg/l, Oncorhynchus mykiss (Rainbow trout)

	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 2.5 mg/l, Daphnia magna LC₅₀, 96 hours: 9.9 mg/l, Crangon crangon
	Acute toxicity - aquatic plants	ErC20, 72 hours: 1.978 mg/l, Desmodesmus subspicatus ErC50, 96 hours: 1.4 mg/l, Selenastrum capricornutum
	Acute toxicity - microorganisms	EC₅₀, 3 hours: 140 mg/l, Activated sludge EC₅₀, 16.9 hours: > 10 g/L, Pseudomonas putida
	Chronic aquatic toxicity	
	Chronic toxicity - fish early life stage	$EC_{20},$ 30 days: 1.86 mg/l, Pimephales promelas (Fat-head Minnow), QSAR
	Chronic toxicity - aquatic invertebrates	EC₂₀, 21 days: 2.11 mg/l, Daphnia magna, QSAR
		Citric Acid Monohydrate
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 400-706 mg/l, Fish
		(Benzyloxy)methanol
4	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 81.5 mg/l, Fish
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 43 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	IC₅₀, 72 hours: 17.7 mg/l, Scenedesmus subspicatus
		ETHANEDIOL
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 72860 mg/l, Pimephales promelas (Fat-head Minnow)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: > 100 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	IC₅₀, 96 hours: 10940 mg/l, Pseudokirchneriella subcapitata
	Acute toxicity - microorganisms	EC₂₀, 30 minutes: 1995 mg/l, Activated sludge Read-across data.
	Chronic aquatic toxicity	
	Chronic toxicity - fish early life stage	LC₅₀, 28 days: > 1500 mg/l, Menidia peninsulae (Tidewater silverside)
	Chronic toxicity - aquatic invertebrates	EC₅₀, 21 days: > 100 mg/l, Daphnia magna
12.2. Persiste	ence and degradability	
Ecological inf	ormation on ingredients.	

Alcohols C9-11, ethoxylated

	Persistence and degradability	Rapidly degradable
		Citric Acid Monohydrate
	Persistence and degradability	COD 665mg O2/g;BOD5 481 mg O2/g; >98% biodegradable after 2 days
		(Benzyloxy)methanol
	Biodegradation	Rapidly degradable Water - Degradation 100%: 18 days
		ETHANEDIOL
	Persistence and degradability	10 days 90-100% Rapidly degradable
12.3. Bioaco	cumulative potential	
Ecological in	nformation on ingredients.	
		Alcohols C9-11, ethoxylated
	Bioaccumulative potential	Bioaccumulation is unlikely.
		(Benzyloxy)methanol
	Partition coefficient	log Pow: 0.3
		ETHANEDIOL
	Partition coefficient	log Pow: -1.36 QSAR data.
12.4. Mobilit	ty in soil	
Ecological in	nformation on ingredients.	
		Alcohols C9-11, ethoxylated
	Adsorption/desorption coefficient	Koc 1288 L/kg QSAR
		Citric Acid Monohydrate
	Mobility	Mobile.
	s of PBT and vPvB assessm nformation on ingredients.	
	normation on ingredients.	Alcohols C9, 11, otherwisted
		Alcohols C9-11, ethoxylated
	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
		(Benzyloxy)methanol
	Results of PBT and vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

### ETHANEDIOL

**Results of PBT and vPvB** This substance is not classified as PBT or vPvB according to current EU criteria. assessment

#### 12.6. Other adverse effects

SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> <li>Commission Regulation (EU) No 2015/830 of 28 May 2015.</li> </ul>

Authorisations (Annex XIV Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Annex XVII Regulation 1907/2006)	No specific restrictions on use are known for this product.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

Revision date	19/03/2021
Revision	2
Supersedes date	09/05/2016
SDS number	21097
Hazard statements in full	<ul> <li>H302 Harmful if swallowed.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H373 May cause damage to organs (Kidneys) through prolonged or repeated exposure if swallowed.</li> <li>H400 Very toxic to aquatic life.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.