WE UNDERSTAND CARS OF

Printing date 10.02.2021

Version number 8

Revision: 08.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier:

Trade name: J02380 DIESEL TURBO CLEANER

1.2 Relevant identified uses of the substance or mixture and uses advised against: Product category: PC0 Other
Application of the substance / the mixture: Fuel Additive.
1.3 Details of the supplier of the safety data sheet
Manufacturer / Importer / Supplier:
JLM Lubricants B.V.
Schiphol Boulevard 127
1118BG Schiphol
Tel.: +31 (0)20 201 4995
Email: info@jlmlubricants.com
www.jlmlubricants.com

Further information obtainable from: Product safety department.

1.4 Emergency telephone number:

+31 (0)20 201 4995

This telephone number can be reached during office hours.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture: Classification according to Regulation (EC) No 1272/2008:



GHS08 health hazard

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation. Hazard pictograms: GHS08

Signal word: Danger

Hazard-determining components of labelling:

Naphtha (petroleum), hydrotreated heavy

Hydrocarbons, C11-C15 isoalkanes, <2% aromatics

Hazard statements:

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

- P102 Keep out of reach of children.
- P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

- P331 Do NOT induce vomiting.
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable.

```
vPvB: Not applicable.
```

SECTION 3: Composition/information on ingredients

3.2

Description: Mixture of substances listed below, possibly with non-hazardous additions.

according to 1907/2006/EC, Article 31

Version number 8

Revision: 08.12.2020

Trade name: JLM Diesel Turbo Cleaner

		niu. or page 1)
Components:		
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	50-100%
EC number: 918-481-9	🕹 Asp. Tox. 1, H304	
Index number: 649-327-00-6		
Reg.nr.: 01-2119457273-39		
CAS: 27247-96-7	2-Ethylhexyl nitrate	2.5-10%
EINECS: 248-363-6	Aquatic Chronic 2, H411; (1) Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4,	
Reg.nr.: 01-2119539586-27	H332	
Additional information: For	the wording of the listed hazard phrases See section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures:

General information:

Persons, providing assistance, should avoid exposure and danger for themselves or others.

Take affected persons out of danger area and lay down.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Take off contaminated clothing immediately and wash the skin with plenty of water (possibly showering).

Do NOT use solvents or thinners.

After eye contact:

Rinse opened eye for several minutes (at least 15 minutes) under running water. If symptoms persist, consult a doctor.

After ingestion: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed:

After ingestion of the liquid, droplets of the product may enter the lungs (aspiration), whereby pneumonia can occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing agents: CO2, powder, foam or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture:

Carbon monoxide (CO)

Carbon dioxide (CO2)

Keep dust/vapour clouds away from possible ignition points.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device. Additional information: Cool endangered tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Avoid breathing vapor and contact with eyes, skin and clothing.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

Printing date 10.02.2021

(Contd. of page 1)

according to 1907/2006/EC, Article 31

Version number 8

Revision: 08.12.2020

Trade name: JLM Diesel Turbo Cleaner

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Observe the general rules for fire prevention.

7.2 Conditions for safe storage, including any incompatibilities: Storage must comply with the local regulations. Storage:

Requirements to be met by storerooms and tanks:

Store only in the original receptacle.

Keep in a cool, dry place, protected from direct sunlight.

All hazardous products m"st be placed above a sump pallet.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions:

The storage temperature should not exceed 40-50°C. It can be handled at temperatures as low as -25°C.

Protect from heat and direct sunlight.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

Additional information about design of technical facilities: No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs	
-------	--

Hydrocarbons, C10, Aromates, <1% Natphtalene		
Oral	Long-term - systemic effects	7.5 mg/kg bw/day (Consumer)
Dermal	Long-term - systemic effects	7.5 mg/kg bw/day (Consumer)
		12.5 mg/kg bw/day (Worker)
Inhalative	Long-term - systemic effects	32 mg/m3 (Consumer)
		150 mg/m3 (Worker)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.



Printing date 10.02.2021

according to 1907/2006/EC, Article 31

Version number 8

Revision: 08.12.2020

Trade name: JLM Diesel Turbo Cleaner

Gloves Neo-Nitrile [™] 300 – AQL or 0.65 (level 3). Thickness-0.35 mm.
Penetration time of glove material:
Permeation performance > 30 minutes
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection: Goggles recommended during refilling
Body protection: Anti-static clothing
Limitation and supervision of exposure into the environment: Prevent spills from reaching surface waters or soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and o General Information: Appearance: Form:	chemical properties: Liquid.
Colour:	Amber / brown
Odour: Odour threshold:	Characteristic Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Not determined. e: >100 °C
Flash point:	>62 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	>200 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	0.6 Vol % 7 Vol %
Vapour pressure at 20 °C:	1 hPa
Density at 20 °C: Relative density: Vapour density: Evaporation rate:	0.81 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with: Water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic: Kinematic at 40 °C:	Not determined. 7 mm²/s
Solvent content: Organic solvents: VOC (EU, 1993/13/EC):	90.9 % 739.8 g/l
VOCV-content (Swiss) Oxidizing properties:	90.46 % Does not contain oxidizing properties.
9.2 Other information:	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Reacts violently with oxidizing agents, strong acids and strong bases.

10.2 Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions: No dangerous reactions known.



Printing date 10.02.2021

according to 1907/2006/EC, Article 31

Version number 8

Revision: 08.12.2020

(Contd. of page 4)

Trade name: JLM Diesel Turbo Cleaner

WE

CARS |

UNDERSTAND

Printing date 10.02.2021

10.4 Conditions to avoid:
Direct sunlight
Heat
Sparks-Open fire
10.5 Incompatible materials: Oxidizing Agents
10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 v	LD/LC50 values relevant for classification:		
ATE (Acut	ATE (Acute Toxicity Estimates)		
Oral	LD50	14,002 mg/kg (Rat)	
Dermal	LD10	16,044 mg/kg	
Inhalative	LD50/2 h	160 mg/m3	
64742-48-	9 Naphtha	i (petroleum), hydrotreated heavy	
Oral	LD50	>5,000 mg/kg (Rat)	
Dermal	LD50	>3,160 mg/kg (Rabbit)	
Inhalative	LC50/4 h	21 mg/l (Rat)	
27247-96-	7 2-Ethylh	exyl nitrate	
Oral	LD50	960 mg/kg (Rat)	
Dermal	LD10	1,100 mg/kg (ATE)	
Inhalative	LD50/2 h	11 mg/m3 (ATE)	
Hydrocart	oons, C10	, Aromates, <1% Natphtalene	
Oral	LD50	>5,000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (Rabbit) (OECD 402)	
Primary ir	ritant offo	at:	

Primary irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenic, mutagenic and reprotoxic):

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reprotoxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard:

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1	Toxicity:

Aquatic tox	Aquatic toxicity:		
64742-48-9	Naphtha (petroleum), hydrotreated heavy		
LC50/96h	2,200 mg/l (Pimephales promelas)		
EC50/48h	2.6 mg/l (Chaetogammarus marinus)		
27247-96-7	2-Ethylhexyl nitrate		
LC50/96h	2 mg/l (Fish)		
EC50/48h	12.6 mg/l (Daphnia Magna)		
EC50/72h	3.22 mg/l (Pseudokirchneriella subcapitata)		
Hydrocarbo	ons, C10, Aromates, <1% Natphtalene		
NOELR/72h	1 2.5 mgl (Pseudokirchneriella subcapitata)		
LL50/96h	≥2-≤5 mg/l (Oncorhynchus mykiss)		
	(Contd. on page 6)		

according to 1907/2006/EC, Article 31

Version number 8

Revision: 08.12.2020

(Contd. of page 5)

Trade name: JLM Diesel Turbo Cleaner

≥3-≤10 mg/l (Daphnia Magna) EL50/48H ErL50/72h 11 mg/l (Pseudokirchneriella subcapitata) 12.2 Persistence and degradability: No further relevant information available. 12.3 Bioaccumulative potential: No further relevant information available. 12.4 Mobility in soil: No further relevant information available. **Ecotoxical effects:** Remark: Harmful to fish Additional ecological information: General notes: Harmful to aquatic organisms Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. 12.5 Results of PBT and vPvB assessment: PBT: Not applicable. vPvB: Not applicable. 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Recommendation: Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contaminated packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number: ADR/RID/ADN, IMDG, IATA 14.2 UN proper shipping name:	Void
ADR/RID/ADN, IMDG, IATA 14.3 Transport hazard class(es):	Volu
ADR/RID/ADN, IMDG, IATA	
Class:	Void
14.4 Packing group:	
ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user:	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and	ł
the IBC Code:	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Directive 2012/18/EU: Named dangerous substances - ANNEX I: None of the ingredients are listed. REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. This shall not constitute a guarantee for any properties of the product and shall not establish a legally valid contractual relationship.

Relevant phrases:

H302 Harmful if swallowed.





Printing date 10.02.2021

according to 1907/2006/EC, Article 31

Version number 8

Revision: 08.12.2020

Trade name: JLM Diesel Turbo Cleaner

H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H332 Harmful if inhaled. H411 Toxic to aquatic life with long lasting effects. Training hints: Take care of good information, instruction and training for users. Department issuing SDS: Environment protection department. Abbreviations and acronyms: ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (Division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative EC50: Effective Concentration, 50 percent IOELVS: Indicative Occupational Exposure Limit Values mPa.s: milliPascal per second Acute Tox. 4: Acute toxicity - Category 4 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 **References:** This information is based on the current available data (suppliers of raw materials, chemistry maps, Annex VI) See also the internet site: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database Revisions were made in sections marked with *. Previous version number: 7



Printing date 10.02.2021

(Contd. of page 6)

GB -