# SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

# **TEC7 CLEANER AEROSOL**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

: TEC7 CLEANER AEROSOL Product name **Registration number REACH** : Not applicable (mixture)

Product type REACH : Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant identified uses

Detergent according to Regulation (EC) No 648/2004

#### 1.2.2 Uses advised against

No uses advised against known

### 1.3. Details of the supplier of the safety data sheet

### Supplier of the safety data sheet

TEC7\*

Industrielaan 5B

B-2250 Olen **2** +32 14 85 97 37

**4** +32 14 85 97 38

info@tec7.be

\*TEC7 is a registered trademark of Novatech International

Industrielaan 5B

### Manufacturer of the product

Novatech International N.V.

Industrielaan 5B

B-2250 Olen

**2** +32 14 85 97 37

**₼** +32 14 85 97 38

info@tec7.be

### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):

+32 14 58 45 45 (BIG)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

| Class           | Category   | Hazard statements  |
|-----------------|------------|--|
| Aerosol         | category 1 | H222: Extremely flammable aerosol.                       |
| Aerosol         | category 1 | H229: Pressurised container: May burst if heated.        |
| STOT SE         | category 3 | H336: May cause drowsiness or dizziness.                 |
| Aquatic Chronic | category 3 | H412: Harmful to aquatic life with long lasting effects. |

# 2.2. Label elements





Contains: hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics.

Signal word Danger

H-statements

H222 Extremely flammable aerosol.

Pressurised container: May burst if heated. H229

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

P-statements

If medical advice is needed, have product container or label at hand. P101

Keep out of reach of children.

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be

© BIG vzw

Reason for revision: 9; 15.1 Revision number: 0303

Publication date: 2010-07-09 Date of revision: 2016-11-23

Product number: 49027

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

Gas/vapour spreads at floor level: ignition hazard

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name<br>REACH Registration No  | CAS No<br>EC No       | Conc. (C) | Classification according to CLP   | Note       | Remark     |
|--|-----------------------|-----------|---|------------|------------|
| hydrocarbons, C9-10, n-alkanes, isoalkanes,<br>cyclics, < 2% aromatics<br>01-2119471843-32 |                       |           | Flam. Liq. 3; H226<br>Asp. Tox. 1; H304<br>STOT SE 3; H336<br>Aquatic Chronic 3; H412 | (1)(10)    | UVCB       |
| butane<br>01-2119474691-32   | 106-97-8<br>203-448-7 | ı         | Flam. Gas 1; H220<br>Press. Gas - Liquefied gas;<br>H280                              | (1)(2)(10) | Propellant |
| propane<br>01-2119486944-21  | 74-98-6<br>200-827-9  |           | Flam. Gas 1; H220<br>Press. Gas - Liquefied gas;<br>H280                              | (1)(2)(10) | Propellant |

<sup>(1)</sup> For H-statements in full: see heading 16

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

### General:

If you feel unwell, seek medical advice.

### After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

### After skin contact:

Wash immediately with lots of water. Take victim to a doctor if irritation persists.

### After eye contact:

Rinse with water. Take victim to an ophthalmologist if irritation persists.

### After ingestion

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.2.1 Acute symptoms

### After inhalation:

EXPOSURE TO HIGH CONCENTRATIONS: Central nervous system depression. Narcosis.

### After skin contact:

ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

### After eve contact:

No effects known.

### After ingestion:

No effects known.

### 4.2.2 Delayed symptoms

No effects known.

### 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

Reason for revision: 9; 15.1 Publication date: 2010-07-09

Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 2 / 12

<sup>(2)</sup> Substance with a Community workplace exposure limit

<sup>(10)</sup> Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

### 5.1.1 Suitable extinguishing media:

Water spray. Polyvalent foam. BC powder. Carbon dioxide.

#### 5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

### 5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed. Pressurised container: May burst if heated.

#### 5.3. Advice for firefighters

#### 5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistant risk of physical explosion. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.

### 5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

# <u>SECTION 6: Accidental release measures</u>

### 6.1. Personal precautions, protective equipment and emergency procedures

Stop engines and no smoking. No naked flames or sparks. Spark- and explosion proof appliances and lighting equipment.

#### 6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

### 6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing

See heading 8.2

### 6.2. Environmental precautions

Dam up the liquid spill.

### 6.3. Methods and material for containment and cleaning up

Take up liquid spill into absorbent material, e.g.: dry sand/earth. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

See heading 13.

# SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 7.1. Precautions for safe handling

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards. Remove contaminated clothing immediately.

### 7.2. Conditions for safe storage, including any incompatibilities

### 7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Store in a cool area. Keep out of direct sunlight. Ventilation at floor level. Fireproof storeroom. Meet the legal requirements.

### 7.2.2 Keep away from:

Heat sources, ignition sources.

### 7.2.3 Suitable packaging material:

Aerosol.

### 7.2.4 Non suitable packaging material:

No data available

### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 Occupational exposure

### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium

Reason for revision: 9; 15.1 Publication date: 2010-07-09

Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 3 / 12

| Hydrocarbures aliphatiques sous forme gazeuse : (Alcanes C1-C4) | Time-weighted average exposure limit 8 h   | 1000 ppm               |  |  |
|---|--|------------------------|--|--|
| The Netherlands   |  |                        |  |  |
| n-Butaan  | Time-weighted average exposure limit 8 h (Private occupational exposure limit value) |                        |  |  |
|   | Time-weighted average exposure limit 8 h (Private occupational exposure limit value) | 1430 mg/m <sup>3</sup> |  |  |
| France  |  |                        |  |  |
| n-Butane  | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)   |                        |  |  |
|   | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)   |                        |  |  |
| Germany   |  |                        |  |  |
| Butan   | Time-weighted average exposure limit 8 h (TRGS 900)                                  | 1000 ppm               |  |  |
|   | Time-weighted average exposure limit 8 h (TRGS 900)                                  |                        |  |  |
| Propan  | Time-weighted average exposure limit 8 h (TRGS 900)                                  | 1000 ppm               |  |  |
|   | Time-weighted average exposure limit 8 h (TRGS 900)                                  | 1800 mg/m <sup>3</sup> |  |  |
| UK  |  |                        |  |  |
| Butane  | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))      | 600 ppm                |  |  |
|   | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))      | 1450 mg/m³             |  |  |
|   | Short time value (Workplace exposure limit (EH40/2005))                              | 750 ppm                |  |  |
|   | Short time value (Workplace exposure limit (EH40/2005))                              |                        |  |  |

# b) National biological limit values

If limit values are applicable and available these will be listed below.

### 8.1.2 Sampling methods

USA (TLV-ACGIH)
Butane, all isomers

If applicable and available it will be listed below.

### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

### 8.1.4 DNEL/PNEC values

### **DNEL/DMEL - Workers**

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Effect level (DNEL/DMEL) | Туре                                  | Value            | Remark |
|--------------------------|---------------------------------------|------------------|--------|
| DNEL                     | Long-term systemic effects inhalation | 871 mg/m³        |        |
|                          | Long-term systemic effects dermal     | 208 mg/kg bw/day |        |

Short time value (TLV - Adopted Value)

1000 ppm

### **DNEL/DMEL - General population**

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Effect level (DNEL/DMEL) | Туре                                  | Value            | Remark |
|--------------------------|---------------------------------------|------------------|--------|
| DNEL                     | Long-term systemic effects inhalation | 185 mg/m³        |        |
|                          | Long-term systemic effects dermal     | 125 mg/kg bw/day |        |
|                          | Long-term systemic effects oral       | 125 mg/kg bw/day |        |

# 8.1.5 Control banding

If applicable and available it will be listed below.

### 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 8.2.1 Appropriate engineering controls

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges. Measure the concentration in the air regularly.

# 8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

### a) Respiratory protection:

Wear gas mask with filter type A if conc. in air > exposure limit.

### b) Hand protection:

Gloves.

| Materials      | Breakthrough time | Thickness |
|----------------|-------------------|-----------|
| nitrile rubber | > 480 minutes     | 0.35 mm   |

### c) Eye protection:

Protective goggles.

### d) Skin protection:

Head/neck protection. Protective clothing.

Reason for revision: 9; 15.1 Publication date: 2010-07-09
Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 4/12

### 8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Physical form             | Aerosol  |
|---------------------------|--|
| Odour                     | Characteristic odour                                   |
| Odour threshold           | No data available                                      |
| Colour                    | No data available on colour                            |
| Particle size             | Not applicable (mixture)                               |
| Explosion limits          | 0.6 - 9.5 vol %  |
| Flammability              | Extremely flammable aerosol.                           |
| Log Kow                   | Not applicable (mixture)                               |
| Dynamic viscosity         | 700 mPa.s ; 20 °C ; Liquid                             |
| Kinematic viscosity       | 921 mm²/s ; 20 °C ; Liquid                             |
| Melting point             | No data available                                      |
| Boiling point             | -45 °C - 166 °C ; Liquid                               |
| Flash point               | No data available                                      |
| Evaporation rate          | 0.35 ; butyl acetate ; Liquid                          |
| Relative vapour density   | >1   |
| Vapour pressure           | 8530 hPa ; 20 °C                                       |
| Solubility                | water; insoluble                                       |
| Relative density          | 0.76 ; 20 °C ; Liquid                                  |
| Decomposition temperature | No data available                                      |
| Auto-ignition temperature | No data available                                      |
| Explosive properties      | No chemical group associated with explosive properties |
| Oxidising properties      | No chemical group associated with oxidising properties |
| рН                        | No data available                                      |

### 9.2. Other information

| Absolute density | 760 kg/m³ ; 20 °C ; Liquid |
|------------------|----------------------------|

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

 $\label{thm:may-be-ignited} \mbox{May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.}$ 

### 10.2. Chemical stability

No data available.

# 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Take precautions against electrostatic charges.

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

11.1.1 Test results

Acute toxicity

### TEC7 CLEANER AEROSOL

No (test)data on the mixture available

Reason for revision: 9; 15.1 Publication date: 2010-07-09
Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 5 / 12

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure    | Parameter | Method                    | Value           | Exposure time | Species                 | Value         | Remark |
|----------------------|-----------|---------------------------|-----------------|---------------|-------------------------|---------------|--------|
|                      |           |                           |                 |               |                         | determination |        |
| Oral                 | LD50      | Equivalent to OECD<br>401 | > 5000 mg/kg bw |               | Rat (male/female)       | Read-across   |        |
| Dermal               | LD50      | Equivalent to OECD<br>402 | > 3160 mg/kg bw |               | Rabbit<br>(male/female) | Read-across   |        |
| Inhalation (aerosol) | LC50      | Equivalent to OECD<br>403 | > 5.6 mg/l air  | 4 h           | Rat (male)              | Read-across   |        |

Judgement is based on the relevant ingredients

### Conclusion

Not classified for acute toxicity

### Corrosion/irritation

### TEC7 CLEANER AEROSOL

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| ,               |                |                    |               |                    |         |               |        |  |  |  |
|-----------------|----------------|--------------------|---------------|--------------------|---------|---------------|--------|--|--|--|
| Route of exposi | ure Result     | Method             | Exposure time | Time point         | Species | Value         | Remark |  |  |  |
|                 |                |                    |               |                    |         | determination |        |  |  |  |
| Eye             | Not irritating | OECD 405           |               | 1; 24; 48; 72; 168 | Rabbit  | Read-across   |        |  |  |  |
|                 |                |                    |               | hours              |         |               |        |  |  |  |
| Skin            | Not irritating | Equivalent to OECD | 4 h           | 24; 48; 72 hours   | Rabbit  | Read-across   |        |  |  |  |
|                 |                | 404                |               |                    |         |               |        |  |  |  |

Judgement is based on the relevant ingredients

#### Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

### Respiratory or skin sensitisation

### **TEC7 CLEANER AEROSOL**

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Result | Method                    | Exposure time | Observation time point | Species                     | Value determination | Remark |
|-------------------|--------|---------------------------|---------------|------------------------|-----------------------------|---------------------|--------|
| Skin              |        | Equivalent to OECD<br>406 |               | l '                    | Guinea pig<br>(male/female) | Read-across         |        |

Judgement is based on the relevant ingredients

### Conclusion

Not classified as sensitizing for skin

### Specific target organ toxicity

### TEC7 CLEANER AEROSOL

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure       | Parameter | Method                 | Value                  | Organ | Effect    | Exposure time                  |                      | Value<br>determination |
|-------------------------|-----------|------------------------|------------------------|-------|-----------|--------------------------------|----------------------|------------------------|
| Oral                    | NOAEL     | 1 '                    | > 1000 mg/kg<br>bw/day |       | No effect |                                | Rat<br>(male/female) | Read-across            |
| Dermal                  |           |                        |                        |       |           |                                |                      | Data waiving           |
| Inhalation<br>(vapours) | NOAEC     | Equivalent to OECD 413 | > 10400 mg/m³<br>air   |       |           | 13 weeks (6h/day, 5 days/week) | Rat<br>(male/female) | Read-across            |

Classification is based on the relevant ingredients

# Conclusion

Low sub-chronic toxicity by the oral route

Low sub-chronic toxicity by inhalation route

May cause drowsiness or dizziness.

### Mutagenicity (in vitro)

### TEC7 CLEANER AEROSOL

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Result                       | Method                 | Test substrate           | Effect | Value determination |
|------------------------------|------------------------|--------------------------|--------|---------------------|
| Negative with metabolic      | OECD 471               | Bacteria (S.typhimurium) |        | Read-across         |
| activation, negative without |                        |                          |        |                     |
| metabolic activation         |                        |                          |        |                     |
| Negative with metabolic      | Equivalent to OECD 476 | Chinese hamster lung     |        | Read-across         |
| activation, negative without |                        | fibroblasts (V79)        |        |                     |
| metabolic activation         |                        |                          |        |                     |

Reason for revision: 9; 15.1 Publication date: 2010-07-09
Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 6 / 12

### Mutagenicity (in vivo)

### TEC7 CLEANER AEROSOL

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Result   | Method             | Exposure time   | Test substrate    | Organ | Value determination |
|----------|--------------------|-----------------|-------------------|-------|---------------------|
| Negative | Equivalent to OECD | 5 days (6h/day) | Rat (male/female) |       | Read-across         |
|          | 478                |                 |                   |       |                     |

Judgement is based on the relevant ingredients

### Conclusion

Not classified for mutagenic or genotoxic toxicity

### Carcinogenicity

### TEC7 CLEANER AEROSOL

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of   | Parameter | Method        | Value            | Exposure time | Species        | Effect          | - 0 | Value         |
|------------|-----------|---------------|------------------|---------------|----------------|-----------------|-----|---------------|
| exposure   |           |               |                  |               |                |                 |     | determination |
| Inhalation | NOAEC     | Equivalent to | 1100 mg/m³ air   | 105 week(s)   | Mouse (female) | No carcinogenic |     | Read-across   |
| (vapours)  |           | OECD 453      |                  |               |                | effect          |     |               |
| Inhalation | NOAEC     | Equivalent to | > 2200 mg/m³ air | 105 week(s)   | Mouse (male)   | No carcinogenic |     | Read-across   |
| (vapours)  |           | OECD 453      |                  |               |                | effect          |     |               |

Judgement is based on the relevant ingredients

#### Conclusion

Not classified for carcinogenicity

### Reproductive toxicity

### **TEC7 CLEANER AEROSOL**

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

|                        | Parameter | Method                    | Value               | Exposure time                        | Species              | Effect    | Organ | Value<br>determination |
|------------------------|-----------|---------------------------|---------------------|--------------------------------------|----------------------|-----------|-------|------------------------|
| Developmental toxicity | NOAEC     |                           | ≥ 300 ppm           | 10 days<br>(6h/day)                  | Rat                  | No effect |       | Experimental value     |
|                        | NOAEL     | Equivalent to OECD 414    | ≥ 5220 mg/m³<br>air | 10 days<br>(6h/day)                  | Rat                  | No effect |       | Experimental value     |
| Maternal toxicity      | NOAEL     | Equivalent to OECD 414    | ≥ 5220 mg/m³<br>air | 10 days<br>(6h/day)                  | Rat                  | No effect |       | Experimental value     |
| Effects on fertility   | NOAEC     | Equivalent to<br>OECD 413 | ≥ 2200 mg/m³<br>air | 14 weeks<br>(6h/day, 5<br>days/week) | Rat<br>(male/female) | No effect |       | Read-across            |

Judgement is based on the relevant ingredients

### Conclusion

Not classified for reprotoxic or developmental toxicity

### Toxicity other effects

### TEC7 CLEANER AEROSOL

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Paramete | er | Method | Value | Organ | Effect                      | Exposure time | <br>Value<br>determination |
|----------|----|--------|-------|-------|-----------------------------|---------------|----------------------------|
|          |    |        |       |       | Skin dryness or<br>cracking |               | Literature study           |

Classification is based on the relevant ingredients

### <u>Conclusion</u>

Repeated exposure may cause skin dryness or cracking.

# Chronic effects from short and long-term exposure

### TEC7 CLEANER AEROSOL

No effects known.

Reason for revision: 9; 15.1 Publication date: 2010-07-09
Date of revision: 2016-11-23

 Revision number: 0303
 Product number: 49027
 7 / 12

# SECTION 12: Ecological information

### 12.1. Toxicity

#### **TEC7 CLEANER AEROSOL**

No (test)data on the mixture available

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| ryarocarbons, c5-10, n-arkanes, is      | drocarbons, C9-10, II-alkanes, sydnics, < 2% aromatics |          |                      |           |                                     |                       |                     |                             |
|---|--|----------|----------------------|-----------|-------------------------------------|-----------------------|---------------------|-----------------------------|
|   | Parameter  | Method   | Value                | Duration  | Species                             | Test design           | Fresh/salt<br>water | Value determination         |
| Acute toxicity fishes                   | LC50   |          | 10 mg/l - 30<br>mg/l | 96 h      | Oncorhynchus<br>mykiss              | Semi-static<br>system | Fresh water         | Experimental value;<br>GLP  |
| Acute toxicity crustacea                | EC50   |          | 22 mg/l - 46<br>mg/l | 48 h      | Daphnia magna                       | Static system         | Fresh water         | Experimental value;<br>GLP  |
| Toxicity algae and other aquatic plants | EC50   | OECD 201 | > 1000 mg/l          | 72 h      | Pseudokirchnerie<br>Ila subcapitata | Static system         | Fresh water         | Experimental value;<br>GLP  |
|   | NOEL   | OECD 201 | < 1 mg/l             | 72 h      | Pseudokirchnerie<br>Ila subcapitata | Static system         | Fresh water         | Experimental value;<br>GLP  |
| Long-term toxicity fish                 | NOEL   |          | 0.182 mg/l           | 28 day(s) | Oncorhynchus<br>mykiss              |                       | Fresh water         | QSAR; Nominal concentration |
| Long-term toxicity aquatic crustacea    | NOEL   |          | 0.317 mg/l           | 21 day(s) | Daphnia magna                       |                       | Fresh water         | QSAR; Nominal concentration |

Classification is based on the relevant ingredients

#### Conclusion

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

### **Biodegradation water**

| Method                                  | Value | Duration  | Value determination |
|---|-------|-----------|---------------------|
| OECD 301F: Manometric Respirometry Test | 89 %  | 28 day(s) | Experimental value  |

#### Conclusion

Contains readily biodegradable component(s)

### 12.3. Bioaccumulative potential

# TEC7 CLEANER AEROSOL

### Log Kow

| Method | Remark                   | Value | Temperature | Value determination |
|--------|--------------------------|-------|-------------|---------------------|
|        | Not applicable (mixture) |       |             |                     |

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

# Log Kow

| Method | Remark            | Value | Temperature | Value determination |
|--------|-------------------|-------|-------------|---------------------|
|        | No data available |       |             |                     |

### Conclusion

No straightforward conclusion can be drawn based upon the available numerical values

### 12.4. Mobility in soil

No (test)data on mobility of the components available

### 12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

### 12.6. Other adverse effects

TEC7 CLEANER AEROSOL

Fluorinated greenhouse gases (Regulation (EU) No 517/2014)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

# SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

# 13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Reason for revision: 9; 15.1 Publication date: 2010-07-09
Date of revision: 2016-11-23

 Revision number: 0303
 Product number: 49027
 8 / 12

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 29\* (separately collected fractions (except 15 01): detergents containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Specific treatment. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Use appropriate containment to avoid environmental contamination.

### 13.1.3 Packaging/Container

### **European Union**

Waste material code packaging (Directive 2008/98/EC).

15 01 10\* (packaging containing residues of or contaminated by dangerous substances).

# SECTION 14: Transport information

### Road (ADR)

| 14.1. UN number                          |  |
|--|--|
| UN number                                | 1950   |
| 14.2. UN proper shipping name            |  |
| Proper shipping name                     | Aerosols   |
| 14.3. Transport hazard class(es)         |  |
| Hazard identification number             |  |
| Class                                    | 2  |
| Classification code                      | 5F   |
| 14.4. Packing group                      |  |
| Packing group                            |  |
| Labels                                   | 2.1  |
| 14.5. Environmental hazards              |  |
| Environmentally hazardous substance mark | no   |
| 14.6. Special precautions for user       |  |
| Special provisions                       | 190  |
| Special provisions                       | 327  |
| Special provisions                       | 344  |
| Special provisions                       | 625  |
| Limited quantities                       | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass) |

### Rail (RID)

| 14.1. | UN    | number |
|-------|-------|--------|
|       | • • • |        |

| UN number                        | 1950     |
|----------------------------------|----------|
| 14.2. UN proper shipping name    |          |
| Proper shipping name             | Aerosols |
| 14.3. Transport hazard class(es) |          |
| Hazard identification number     | 23       |
| Class                            | 2        |
| Classification code              | 5F       |
| 14.4. Packing group              |          |
|                                  |          |

|                             | Packing group |     |
|-----------------------------|---------------|-----|
|                             | Labels        | 2.1 |
| 14.5. Environmental hazards |               |     |

# Environmentally hazardous substance mark

| 6. Special precautions for user |   |
|---------------------------------|---|
| Special provisions              | 190   |
| Special provisions              | 327   |
| Special provisions              | 344   |
| Special provisions              | 625   |
| Limited quantities              | Combination packagings: not more than 1 liter per inner packaging for |
|                                 | liquids. A package shall not weigh more than 30 kg. (gross mass)      |

# Inland waterways (ADN)

| 14.1. UN | number |
|----------|--------|
|----------|--------|

|     | UN number                        | 1950     |  |
|-----|----------------------------------|----------|--|
| 14. | 14.2. UN proper shipping name    |          |  |
|     | Proper shipping name             | Aerosols |  |
| 14. | 14.3. Transport hazard class(es) |          |  |
|     | Class                            | 2        |  |
|     | Classification code              |          |  |

14.4. Packing group

Reason for revision: 9; 15.1 Publication date: 2010-07-09

Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 9/12

| Packing group  |  |
|--|--|
| Labels   | 2.1  |
| 1.5. Environmental hazards                                     |  |
| Environmentally hazardous substance mark                       | no   |
| 1.6. Special precautions for user                              |  |
| Special previsions   | 190  |
| Special provisions   | 327  |
| Special provisions   | 344  |
| Special provisions   | 625  |
| Limited quantities   | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass) |
| (IMDG/IMSBC)   |  |
| I.1. UN number   |  |
| UN number  | 1950   |
| 1.2. UN proper shipping name                                   | •  |
| Proper shipping name   | Aerosols   |
| 1.3. Transport hazard class(es)                                | •  |
| Class  | 2.1  |
| .4. Packing group  | •  |
| Packing group  |  |
| Labels   | 2.1  |
| .5. Environmental hazards                                      | <u> </u>   |
| Marine pollutant   | -  |
| Environmentally hazardous substance mark                       | no   |
| I.6. Special precautions for user                              |  |
| Special provisions   | 63   |
| Special provisions   | 190  |
| Special provisions   | 277  |
| Special provisions   | 327  |
| Special provisions   | 344  |
| Special provisions   | 959  |
| Limited quantities   | Combination packagings: not more than 1 liter per inner packaging for  |
|  | liquids. A package shall not weigh more than 30 kg. (gross mass)   |
| 1.7. Transport in bulk according to Annex II of Marpol and the |  |
| Annex II of MARPOL 73/78                                       | Not applicable   |
| ICAO-TI/IATA-DGR)  |  |
| .1. UN number  |  |
| UN number  | 1950   |
| 1.2. UN proper shipping name                                   |  |
| Proper shipping name   | Aerosols, flammable  |
| .3. Transport hazard class(es)                                 |  |
| Class  | 2.1  |
| 4.4. Packing group   | <del>_</del>   |
| Packing group  |  |
| Labels   | 2.1  |
| .5. Environmental hazards                                      |  |
| Environmentally hazardous substance mark                       | no   |
| 4.6. Special precautions for user                              |  |
| Special provisions   | A145   |
| 1  |  |

# SECTION 15: Regulatory information

limited quantities: maximum net quantity per packaging

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# European legislation:

Special provisions

Special provisions

VOC content Directive 2010/75/EU

| VOC content | Remark |
|-------------|--------|
| 99.67 %     |        |
| 680.128 g/l |        |

A167

A802

30 kg G

Ingredients according to Regulation (EC) No 648/2004 and amendments  $\ge\!\!30\%$  aliphatic hydrocarbons

Reason for revision: 9; 15.1 Publication date: 2010-07-09

Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 10/12

### **REACH Annex XVII - Restriction**

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

|  | , , , ,   | Conditions of restriction  |
|--|---|--|
|  | substances or of the mixture  |  |
| · hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics                      | Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:  (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 | 1. Shall not be used in:  — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  — tricks and jokes,  — games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:  — can be used as fuel in decorative oil lamps for supply to the general public, and,  — present an aspiration hazard and are labelled with R65 or H304,4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage";  b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage";  c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage";  c) lamp oils and grill lighter fluids and fuel for decorative lamps, label |
| <ul> <li>hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</li> </ul> | 2 or 3, flammable solids category 1 or 2,   | 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:  — metallic glitter intended mainly for decoration,  — artificial snow and frost,  — "whoopee" cushions,  — silly string aerosols,  — imitation excrement,  — horns for parties,  — decorative flakes and foams,  — artificial cobwebs,  — strink bombs.2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  "For professional users only".3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC.4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.  |

### **National legislation Belgium**

TEC7 CLEANER AEROSOL

No data available

# National legislation The Netherlands

TEC7 CLEANER AEROSOL

| Waste identification (the | LWCA (the Netherlands): KGA category 06 |
|---------------------------|---|
| Netherlands)              |   |

# **National legislation France**

TEC7 CLEANER AEROSOL

No data available

### **National legislation Germany**

TEC7 CLEANER AEROSOL

| WGK | 2; Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender |
|-----|---|
|     | Stoffe (VwVwS) of 27 July 2005 (Anhang 4)   |

# **National legislation United Kingdom**

TEC7 CLEANER AEROSOL

No data available

Reason for revision: 9; 15.1 Publication date: 2010-07-09

Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 11 / 12

#### Other relevant data

**TEC7 CLEANER AEROSOL** 

No data available

### 15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

### **SECTION 16: Other information**

### Full text of any H-statements referred to under headings 2 and 3:

H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H226 Flammable liquid and vapour.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

(\*) INTERNAL CLASSIFICATION BY BIG

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

LC50 Lethal Concentration 50 %

LD50 Lethal Dose 50 %

NOAEL No Observed Adverse Effect Level
NOEC No Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic
PNEC Predicted No Effect Concentration

STP Sludge Treatment Process vPvB very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 9; 15.1 Publication date: 2010-07-09
Date of revision: 2016-11-23

Revision number: 0303 Product number: 49027 12 / 12